ELSEVIER

Hearing Research 119 (1998) 166

HEARING RESEARCH

Author Index Volume 119

Abbas, P.J., see Miller, C.A. (119) 142

Bowman, D.M., Eggermont, J.J., Brown, D.K. and Kimberley, B.P.
Estimating cochlear filter response properties from distortion product otoacoustic emission (DPOAE) phase delay measurements in normal hearing human adults (119) 14
Brown, D.K., see Bowman, D.M. (119) 14

Christensen-Dalsgaard, J., Jørgensen, M.B. and Kanneworff, M.
Basic response characteristics of auditory nerve fibers in the grassfrog (*Rana temporaria*) (119) 155
Clock Eddins, A., Salvi, R.J., Wang, J. and Powers, N.L.
Threshold-duration functions of chinchilla auditory nerve fibers (119) 135
Coleman, J.K.M., Lee, J.I., Miller, J.M. and Nuttall, A.L.
Changes in cochlear blood flow due to intra-arterial infusions of angiotensin II (3-8) (angiotensin IV) in guinea pigs (119) 61

Dang, H., see Gruber, D.D. (119) 113
Davis, M., see Meloni, E.G. (119) 69

Eggermont, J.J., see Bowman, D.M. (119) 14
Erway, L.C., see Willott, J.F. (119) 27

Forge, A., see Souter, M. (119) 81

Gruber, D.D., Dang, H., Shimozono, M., Scofield, M.A. and Wangemann, P.
α_{1A}-Adrenergic receptors mediate vasoconstriction of the isolated spiral modiolar artery in vitro (119) 113

Heffner, H.E., see Koay, G. (119) 37
Heffner, R.S., see Koay, G. (119) 37
Housley, G.D., Raybould, N.P. and Thorne, P.R.
Fluorescence imaging of Na^+ influx via P2X receptors in cochlear hair cells (119) 1
Hussl, B., see Kong, W.-J. (119) 96
Hussl, B., see Kong, W.-J. (119) 104

Jørgensen, M.B., see Christensen-Dalsgaard, J. (119) 155

Kanneworff, M., see Christensen-Dalsgaard, J. (119) 155
Kearns, D., see Koay, G. (119) 37
Kimberley, B.P., see Bowman, D.M. (119) 14
Koay, G., Kearns, D., Heffner, H.E. and Heffner, R.S.
Passive sound-localization ability of the big brown bat (*Eptesicus fuscus*) (119) 37
Kong, W.-J., Hussl, B., Thumfart, W.F. and Schrott-Fischer, A.
Ultrastructural localization of ChAT-like immunoreactivity in the human vestibular periphery (119) 96
Kong, W.-J., Hussl, B., Thumfart, W.F. and Schrott-Fischer, A.
Ultrastructural localization of GABA-like immunoreactivity in the human utricular macula (119) 104

Lee, J.I., see Coleman, J.K.M. (119) 61
Long, G.,
Perceptual consequences of the interactions between spontaneous otoacoustic emissions and external tones. I. Monaural diplacusis and aftertones (119) 49

Matsuoka, A.J., see Miller, C.A. (119) 142
Meloni, E.G., and Davis, M.
The dorsal cochlear nucleus contributes to a high intensity component of the acoustic startle reflex in rats (119) 69
Miller, C.A., Abbas, P.J., Rubinstein, J.T., Robinson, B.K., Matsuoka, A.J. and Woodworth, G.
Electrically evoked compound action potentials of guinea pig and cat: responses to monopolar, monophasic stimulation (119) 142
Miller, J.M., see Coleman, J.K.M. (119) 61

Nuttall, A.L., see Coleman, J.K.M. (119) 61

Powers, N.L., see Clock Eddins, A. (119) 135

Raybould, N.P., see Housley, G.D. (119) 1
Robinson, B.K., see Miller, C.A. (119) 142
Rubinstein, J.T., see Miller, C.A. (119) 142

Salvi, R.J., see Clock Eddins, A. (119) 135
Schrott-Fischer, A., see Kong, W.-J. (119) 96
Schrott-Fischer, A., see Kong, W.-J. (119) 104
Scofield, M.A., see Gruber, D.D. (119) 113
Serrano, E.E., see Varela-Ramírez, A. (119) 125
Shimozono, M., see Gruber, D.D. (119) 113
Souter, M., and Forge, A.
Intercellular junctional maturation in the stria vascularis: possible association with onset and rise of endocochlear potential (119) 81

Thorne, P.R., see Housley, G.D. (119) 1
Thumfart, W.F., see Kong, W.-J. (119) 96
Thumfart, W.F., see Kong, W.-J. (119) 104
Trujillo-Provencio, C., see Varela-Ramírez, A. (119) 125

Varela-Ramírez, A., Trujillo-Provencio, C. and Serrano, E.E.
Detection of transcripts for delayed rectifier potassium channels in the *Xenopus laevis* inner ear (119) 125

Wang, J., see Clock Eddins, A. (119) 135
Wangemann, P., see Gruber, D.D. (119) 113
Willott, J.F., and Erway, L.C.
Genetics of age-related hearing loss in mice. IV. Cochlear pathology and hearing loss in 25 BXD recombinant inbred mouse strains (119) 27
Woodworth, G., see Miller, C.A. (119) 142

ELSEVIER

Hearing Research 119 (1998) 166

HEARING RESEARCH

Author Index Volume 119

Abbas, P.J., see Miller, C.A. (119) 142

Bowman, D.M., Eggermont, J.J., Brown, D.K. and Kimberley, B.P.
Estimating cochlear filter response properties from distortion product otoacoustic emission (DPOAE) phase delay measurements in normal hearing human adults (119) 14
Brown, D.K., see Bowman, D.M. (119) 14

Christensen-Dalsgaard, J., Jørgensen, M.B. and Kanneworff, M.
Basic response characteristics of auditory nerve fibers in the grassfrog (*Rana temporaria*) (119) 155
Clock Eddins, A., Salvi, R.J., Wang, J. and Powers, N.L.
Threshold-duration functions of chinchilla auditory nerve fibers (119) 135
Coleman, J.K.M., Lee, J.I., Miller, J.M. and Nuttall, A.L.
Changes in cochlear blood flow due to intra-arterial infusions of angiotensin II (3-8) (angiotensin IV) in guinea pigs (119) 61

Dang, H., see Gruber, D.D. (119) 113
Davis, M., see Meloni, E.G. (119) 69

Eggermont, J.J., see Bowman, D.M. (119) 14
Erway, L.C., see Willott, J.F. (119) 27

Forge, A., see Souter, M. (119) 81

Gruber, D.D., Dang, H., Shimozono, M., Scofield, M.A. and Wangemann, P.
α_{1A}-Adrenergic receptors mediate vasoconstriction of the isolated spiral modiolar artery in vitro (119) 113

Heffner, H.E., see Koay, G. (119) 37
Heffner, R.S., see Koay, G. (119) 37
Housley, G.D., Raybould, N.P. and Thorne, P.R.
Fluorescence imaging of Na^+ influx via P2X receptors in cochlear hair cells (119) 1
Hussl, B., see Kong, W.-J. (119) 96
Hussl, B., see Kong, W.-J. (119) 104

Jørgensen, M.B., see Christensen-Dalsgaard, J. (119) 155

Kanneworff, M., see Christensen-Dalsgaard, J. (119) 155
Kearns, D., see Koay, G. (119) 37
Kimberley, B.P., see Bowman, D.M. (119) 14
Koay, G., Kearns, D., Heffner, H.E. and Heffner, R.S.
Passive sound-localization ability of the big brown bat (*Eptesicus fuscus*) (119) 37
Kong, W.-J., Hussl, B., Thumfart, W.F. and Schrott-Fischer, A.
Ultrastructural localization of ChAT-like immunoreactivity in the human vestibular periphery (119) 96
Kong, W.-J., Hussl, B., Thumfart, W.F. and Schrott-Fischer, A.
Ultrastructural localization of GABA-like immunoreactivity in the human utricular macula (119) 104

Lee, J.I., see Coleman, J.K.M. (119) 61
Long, G.,
Perceptual consequences of the interactions between spontaneous otoacoustic emissions and external tones. I. Monaural diplacusis and aftertones (119) 49

Matsuoka, A.J., see Miller, C.A. (119) 142
Meloni, E.G., and Davis, M.
The dorsal cochlear nucleus contributes to a high intensity component of the acoustic startle reflex in rats (119) 69
Miller, C.A., Abbas, P.J., Rubinstein, J.T., Robinson, B.K., Matsuoka, A.J. and Woodworth, G.
Electrically evoked compound action potentials of guinea pig and cat: responses to monopolar, monophasic stimulation (119) 142
Miller, J.M., see Coleman, J.K.M. (119) 61

Nuttall, A.L., see Coleman, J.K.M. (119) 61

Powers, N.L., see Clock Eddins, A. (119) 135

Raybould, N.P., see Housley, G.D. (119) 1
Robinson, B.K., see Miller, C.A. (119) 142
Rubinstein, J.T., see Miller, C.A. (119) 142

Salvi, R.J., see Clock Eddins, A. (119) 135
Schrott-Fischer, A., see Kong, W.-J. (119) 96
Schrott-Fischer, A., see Kong, W.-J. (119) 104
Scofield, M.A., see Gruber, D.D. (119) 113
Serrano, E.E., see Varela-Ramírez, A. (119) 125
Shimozono, M., see Gruber, D.D. (119) 113
Souter, M., and Forge, A.
Intercellular junctional maturation in the stria vascularis: possible association with onset and rise of endocochlear potential (119) 81

Thorne, P.R., see Housley, G.D. (119) 1
Thumfart, W.F., see Kong, W.-J. (119) 96
Thumfart, W.F., see Kong, W.-J. (119) 104
Trujillo-Provencio, C., see Varela-Ramírez, A. (119) 125

Varela-Ramírez, A., Trujillo-Provencio, C. and Serrano, E.E.
Detection of transcripts for delayed rectifier potassium channels in the *Xenopus laevis* inner ear (119) 125

Wang, J., see Clock Eddins, A. (119) 135
Wangemann, P., see Gruber, D.D. (119) 113
Willott, J.F., and Erway, L.C.
Genetics of age-related hearing loss in mice. IV. Cochlear pathology and hearing loss in 25 BXD recombinant inbred mouse strains (119) 27
Woodworth, G., see Miller, C.A. (119) 142

ELSEVIER

Hearing Research 119 (1998) 167–169

HEARING RESEARCH

Subject Index Volume 119

Acetylcholine
Choline acetyltransferase; Immunoelectron microscopy; Vestibular neurosensory periphery; Human (Kong, W.-J. (119) 96)

Adenosine 5′-triphosphate-gated ion channel
Sodium Green; Caged-adenosine 5′-triphosphate; Outer hair cell; Inner hair cell; Voltage-clamp; Confocal laser scanning microscopy; Pyridoxalphosphate-6-azophenyl-2′,4′-disulphonic acid (Housley, G.D. (119) 1)

γ-Aminobutyric acid
Neurotransmitter; Immunocytochemistry; Efferent vestibular system; Human (Kong, W.-J. (119) 104)

Amphibian
Auditory; *drk*; Ion channel; Kv2; Reverse transcription polymerase chain reaction; Vestibular (Varela-Ramírez, A. (119) 125)

Angiotensin
Blood flow; Microcirculation; Cochlea; Hearing; Guinea pig (Coleman, J.K.M. (119) 61)

Auditory
Amphibian; *drk*; Ion channel; Kv2; Reverse transcription polymerase chain reaction; Vestibular (Varela-Ramírez, A. (119) 125)

Threshold; Stimulus duration; Temporal integration (Clock Eddins, A. (119) 135)

Cochlear implant; Electrical stimulation; Cat; Guinea pig (Miller, C.A. (119) 142)

Frog; Hearing; Post-excitatory suppression; Free-field sound; Spontaneous activity (Christensen-Dalsgaard, J. (119) 155)

Basal cell
Development; Gerbil; Cochlea; Marginal cell (Souter, M. (119) 81)

Bat
Binaural cue; *Eptesicus fuscus*; Evolution; Retinal ganglion cell; Sound localization (Koay, G. (119) 37)

Behavior
Dorsal cochlear nucleus; Startle; Lesion (Meloni, E.G. (119) 69)

Binaural cue
Bat; *Eptesicus fuscus*; Evolution; Retinal ganglion cell; Sound localization (Koay, G. (119) 37)

Blood flow
Angiotensin; Microcirculation; Cochlea; Hearing; Guinea pig (Coleman, J.K.M. (119) 61)

BMY7378
Cochlear blood flow; Reverse transcription polymerase chain reaction; 5-Methyl urapidil (Gruber, D.D. (119) 113)

Caged-adenosine 5′-triphosphate
Sodium Green; Adenosine 5′-triphosphate-gated ion channel; Outer hair cell; Inner hair cell; Voltage-clamp; Confocal laser scanning microscopy; Pyridoxalphosphate-6-azophenyl-2′,4′-disulphonic acid (Housley, G.D. (119) 1)

Cat
Cochlear implant; Electrical stimulation; Guinea pig; Auditory nerve (Miller, C.A. (119) 142)

Choline acetyltransferase
Acetylcholine; Immunoelectron microscopy; Vestibular neurosensory periphery; Human (Kong, W.-J. (119) 96)

Cochlea
Genetics; Recombinant inbred mice; Presbycusis; Sensorineural hearing loss (Willott, J.F. (119) 27)

Angiotensin; Blood flow; Microcirculation; Hearing; Guinea pig (Coleman, J.K.M. (119) 61)

Development; Gerbil; Basal cell; Marginal cell (Souter, M. (119) 81)

Reverse transcription polymerase chain reaction; BMY7378; 5-Methyl urapidil (Gruber, D.D. (119) 113)

Cochlear implant
Electrical stimulation; Cat; Guinea pig; Auditory nerve (Miller, C.A. (119) 142)

Confocal laser scanning microscopy
Sodium Green; Caged-adenosine 5′-triphosphate; Adenosine 5′-triphosphate-gated ion channel; Outer hair cell; Inner hair cell; Voltage-clamp; Pyridoxalphosphate-6-azophenyl-2′,4′-disulphonic acid (Housley, G.D. (119) 1)

Development
Gerbil; Cochlea; Basal cell; Marginal cell (Souter, M. (119) 81)

Distortion product
Otoacoustic emission; Phase delay; Impulse response; Tuning curve; Human (Bowman, D.M. (119) 14)

Dorsal cochlear nucleus
Startle; Behavior; Lesion (Meloni, E.G. (119) 69)

drk
Amphibian; Auditory; Ion channel; Kv2; Reverse transcription polymerase chain reaction; Vestibular (Varela-Ramírez, A. (119) 125)

Efferent vestibular system
γ-Aminobutyric acid; Neurotransmitter; Immunocytochemistry; Human (Kong, W.-J. (119) 104)

Electrical stimulation
Cochlear implant; Cat; Guinea pig; Auditory nerve (Miller, C.A. (119) 142)

Eptesicus fuscus
Bat; Binaural cue; Evolution; Retinal ganglion cell; Sound localization (Koay, G. (119) 37)

Evolution
Bat; Binaural cue; *Eptesicus fuscus*; Retinal ganglion cell; Sound localization (Koay, G. (119) 37)

Free-field sound
Frog; Auditory nerve; Hearing; Post-excitatory suppression; Spontaneous activity (Christensen-Dalsgaard, J. (119) 155)

Frog
Auditory nerve; Hearing; Post-excitatory suppression; Free-field sound; Spontaneous activity (Christensen-Dalsgaard, J. (119) 155)

Genetics
Recombinant inbred mice; Cochlea; Presbycusis; Sensorineural hearing loss (Willott, J.F. (119) 27)

Gerbil
Development; Cochlea; Basal cell; Marginal cell (Souter, M. (119) 81)

Guinea pig
Angiotensin; Blood flow; Microcirculation; Cochlea; Hearing (Coleman, J.K.M. (119) 61)

Cochlear implant; Electrical stimulation; Cat; Auditory nerve (Miller, C.A. (119) 142)

Hearing
Angiotensin; Blood flow; Microcirculation; Cochlea; Guinea pig (Coleman, J.K.M. (119) 61)

Frog; Auditory nerve; Post-excitatory suppression; Free-field sound; Spontaneous activity (Christensen-Dalsgaard, J. (119) 155)

Human
Acetylcholine; Choline acetyltransferase; Immunoelectron microscopy; Vestibular neurosensory periphery (Kong, W.-J. (119) 96)

γ-Aminobutyric acid; Neurotransmitter; Immunocytochemistry; Efferent vestibular system (Kong, W.-J. (119) 104)

Otoacoustic emission; Distortion product; Phase delay; Impulse response; Tuning curve (Bowman, D.M. (119) 14)

Immunocytochemistry
γ-Aminobutyric acid; Neurotransmitter; Efferent vestibular system; Human (Kong, W.-J. (119) 104)

Immunoelectron microscopy
Acetylcholine; Choline acetyltransferase; Vestibular neurosensory periphery; Human (Kong, W.-J. (119) 96)

Impulse response
Otoacoustic emission; Distortion product; Phase delay; Tuning curve; Human (Bowman, D.M. (119) 14)

Inner hair cell
Sodium Green; Caged-adenosine 5′-triphosphate; Adenosine 5′-triphosphate-gated ion channel; Outer hair cell; Voltage-clamp; Confocal laser scanning microscopy; Pyridoxalphosphate-6-azophenyl-2′,4′-disulphonic acid (Housley, G.D. (119) 1)

Ion channel
Amphibian; Auditory; *drk*; Kv2; Reverse transcription polymerase chain reaction; Vestibular (Varela-Ramírez, A. (119) 125)

Kv2
Amphibian; Auditory; *drk*; Ion channel; Reverse transcription polymerase chain reaction; Vestibular (Varela-Ramírez, A. (119) 125)

Lesion
Dorsal cochlear nucleus; Startle; Behavior (Meloni, E.G. (119) 69)

Marginal cell
Development; Gerbil; Cochlea; Basal cell (Souter, M. (119) 81)

5-Methyl urapidil
Cochlear blood flow; Reverse transcription polymerase chain reaction; BMY7378 (Gruber, D.D. (119) 113)

Microcirculation
Angiotensin; Blood flow; Cochlea; Hearing; Guinea pig (Coleman, J.K.M. (119) 61)

Monaural diplacusis
Spontaneous otoacoustic emission (Long, G. (119) 49)

Neurotransmitter
γ-Aminobutyric acid; Immunocytochemistry; Efferent vestibular system; Human (Kong, W.-J. (119) 104)

Otoacoustic emission
Distortion product; Phase delay; Impulse response; Tuning curve; Human (Bowman, D.M. (119) 14)

Outer hair cell
Sodium Green; Caged-adenosine 5′-triphosphate; Adenosine 5′-triphosphate-gated ion channel; Inner hair cell; Voltage-clamp; Confocal laser scanning microscopy; Pyridoxalphosphate-6-azophenyl-2′,4′-disulphonic acid (Housley, G.D. (119) 1)

Phase delay
Otoacoustic emission; Distortion product; Impulse response; Tuning curve; Human (Bowman, D.M. (119) 14)

Post-excitatory suppression
Frog; Auditory nerve; Hearing; Free-field sound; Spontaneous activity (Christensen-Dalsgaard, J. (119) 155)

Presbycusis
Genetics; Recombinant inbred mice; Cochlea; Sensorineural hearing loss (Willott, J.F. (119) 27)

Pyridoxalphosphate-6-azophenyl-2′,4′-disulphonic acid
Sodium Green; Caged-adenosine 5′-triphosphate; Adenosine 5′-triphosphate-gated ion channel; Outer hair cell; Inner hair cell; Voltage-clamp; Confocal laser scanning microscopy (Housley, G.D. (119) 1)

Recombinant inbred mice
Genetics; Cochlea; Presbycusis; Sensorineural hearing loss (Willott, J.F. (119) 27)

Retinal ganglion cell
Bat; Binaural cue; *Eptesicus fuscus*; Evolution; Sound localization (Koay, G. (119) 37)

Reverse transcription polymerase chain reaction
Cochlear blood flow; BMY7378; 5-Methyl urapidil (Gruber, D.D. (119) 113)

Amphibian; Auditory; *drk*; Ion channel; Kv2; Vestibular (Varela-Ramírez, A. (119) 125)

Sensorineural hearing loss
Genetics; Recombinant inbred mice; Cochlea; Presbycusis (Willott, J.F. (119) 27)

Sodium Green
Caged-adenosine 5′-triphosphate; Adenosine 5′-triphosphate-gated ion channel; Outer hair cell; Inner hair cell; Voltage-clamp; Confocal laser scanning microscopy; Pyridoxalphosphate-6-azophenyl-2′,4′-disulphonic acid (Housley, G.D. (119) 1)

Sound localization
Bat; Binaural cue; *Eptesicus fuscus*; Evolution; Retinal ganglion cell (Koay, G. (119) 37)

Spontaneous activity
Frog; Auditory nerve; Hearing; Post-excitatory suppression; Free-field sound (Christensen-Dalsgaard, J. (119) 155)

Spontaneous otoacoustic emission
Monaural diplacusis (Long, G. (119) 49)

Startle
Dorsal cochlear nucleus; Behavior; Lesion (Meloni, E.G. (119) 69)

Stimulus duration
Auditory nerve; Threshold; Temporal integration (Clock Eddins, A. (119) 135)

Temporal integration
Auditory nerve; Threshold; Stimulus duration (Clock Eddins, A. (119) 135)

Threshold
Auditory nerve; Stimulus duration; Temporal integration (Clock Eddins, A. (119) 135)

Tuning curve
Otoacoustic emission; Distortion product; Phase delay; Impulse response; Human (Bowman, D.M. (119) 14)

Vestibular
Amphibian; Auditory; *drk*; Ion channel; Kv2; Reverse transcription polymerase chain reaction (Varela-Ramírez, A. (119) 125)

Acetylcholine; Choline acetyltransferase; Immunoelectron microscopy; Human (Kong, W.-J. (119) 96)

Voltage-clamp
Sodium Green; Caged-adenosine 5′-triphosphate; Adenosine 5′-triphosphate-gated ion channel; Outer hair cell; Inner hair cell; Confocal laser scanning microscopy; Pyridoxalphosphate-6-azophenyl-2′,4′-disulphonic acid (Housley, G.D. (119) 1)